

STICKS TRIM

Acoustics » Acoustic Sticks



Brand: **Zintra**

Applications: **Ceilings, Walls**

STICKS TRIM

Acoustics » Acoustic Sticks



Sticks Trim Spotted Gum



Sticks Trim Ironbark Ceiling



Sticks Trim Detail

STICKS TRIM

Acoustics » Acoustic Sticks

Sticks Trim are designed to complement Zintra Sticks Bundles. Impeccably finish around windows, doors, ceiling services and GPOs with Zintra Sticks Trim.

✓ Acoustic

✓ Bleach Cleanable

✓ Easy Clean

✓ Easy Install

Description	<p>Zintra Sticks are a versatile range of fabricated acoustic sticks designed for easy installation in any space.</p> <p>Sticks Trim are designed to complement Zintra Sticks Bundles. Impeccably finish around windows, doors, ceiling services and GPOs with our Sticks Trim. Supplied as a separate right-angle piece, Sticks Trim is easily cut in the field to mitre or butt join and glue to Sticks sets to provide a matching Timber finish to exposed ends</p> <p>Additionally, a selection of Sticks are available to address transitions, and corners, ensuring a comprehensive solution tailored to your space.</p> <p>Sticks Transition: Seamless corner transitions are possible with the use of purpose designed Sticks Transition. Designed to join bundles at inside corners and available in Landscape or Portrait.</p> <p>Sticks External Corner: A purpose designed transition piece that seamlessly deals with the corners of a wall. Available in Landscape or Portrait and in two widths, narrow and wide.</p>
How to Specify	1. Zintra Colour
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester 12mm (1/2") -Density 2.4 kg /m ² 0.5 lb/ft ²
Sustainability	<p>Zintra is made from 100% recyclable materials.</p> <ul style="list-style-type: none">• 60% post-consumer recycled content from PET bottles.• 35% pre-consumer recycled content from PET chips• 5% polylactic acid (PLA)
Finishes	Zintra Panel - Matt. Check out the Zintra 12mm colour range in the DOWNLOADS
Pattern Repeat Size	N/A
Dimensions	Sticks Trim: 2745mm (108") h x 73mm (2.88") w x 73mm (2.88") d

STICKS TRIM

Acoustics » Acoustic Sticks

Fire Rating ASTM-E84 – Class A classification
AS ISO 9705 – 2003 – Group 1 classification
EN-13501 – B-s2-d0 classification

Supplied As Trim:

1 x Zintra Trim

Fabrication Techniques Stanley knife and straight edge

Assembly & Delivery Ships flat pack except Sticks Trim. Assembly required.

Go to the Technical Documents and download the Installation Guide for more details.

Suggested Installation Ships assembled.

Download Installation Guide for full instructions.

Care Instructions Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Warranty Visit FAQ for more details.

Customisable The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Additional Comments NRC Rating:

• Directly mounted: 0.8

• With 6" (152mm) Air Gap: Up to 0.95

STICKS TRIM

Acoustics » Acoustic Sticks

Color & Finish Options


Zintra 12mm Solid PET




Bark



Brick




Cadet



Chambray




Cobalt



Ecu



Elderberry



Fossil



Frost



Grass




Greige




Ivory



Linen



Malachite



Mandarin



Meadow




Midnight



Ochre




Olive



Parchment




Pebble



Pewter



Saffron



Sky



Smoke

+1 855 922 7377

hello@zintraacoustic.com

zintraacoustic.com

5 of 6

zintra®

STICKS TRIM


Acoustics » Acoustic Sticks



Slate



Storm



Sunshine



Tar



Twilight

Zintra Timber



Eucalyptus



Ironbark



Merbau



Spotted Gum