
Acoustic Baffles



Brand: **Zintra**

Collections: Connect Baffles

Applications: Ceilings



Acoustic Baffles

Cirrus Connect Baffle pattern adds a sense of movement, making it ideal for creating modern, visually engaging environments while enhancing acoustics.

✓ Bleach Cleanable✓ Easy Clean	✓ Acoustic	✓ Easy Install			
Description	Add sculptural on-trend geo-accents to your ceiling space with Connect Baffles. An innovative solution to large areas requiring improved acoustics, Connect Baffle options are designed with full ceiling coverage in mind and will create a ceiling space with architectural shape, form and definitive character. Connect Cirrus is characterized by a linear, interconnected design, arranged in a flowing, cohesive formation. This pattern adds a sense of movement and unity to interior spaces.				
	Connect Baffles are also available in 4 other great designs:				
		nnected squares, creating a visually dynamic and ngs a sense of structure and balance to interior			
		sterconnected hexagons, offering a visually striking ern introduces a sense of symmetry and harmony to			
		of interconnected triangles, presenting a visually sign. This pattern introduces a sense of structure			
		of interconnected geometric shapes, including domized forms. This captivating design adds visual ior spaces.			
How to Specify	1. Select Design				
	2. Select Size				
	3. Select Zintra Colour				
Composition	Zintra Acoustic Panel - 100% So	olution Dyed (Colour Through) Polyester			
	12mm (1/2") -Density 2.4 kg /m	² 0.5 lb/ft ²			
Sustainability	Zintra is made from 100% recyc	lable materials.			
	 60% post-consumer recycled content from PET bottles. 				
	• 35% pre-consumer recycled of	ontent from PET chips			
	• 5% polylactic acid (PLA)				



Acoustic Baffles

D: .	0:	A 11 I I		1 1 1 1
Dimensions	Cirrus:	Available	ın 2	heights.

Cirrus Low

3595mm (141.5") w x 2275mm (89.6") d x 190mm (7.5") h

Cirrus High

3595mm (141.5") w x 2275mm (89.6") d x 300mm (11.8") h

Fire Rating ASTM-E84 – Class A classification

AS ISO 9705 - 2003 - Group 1 classification

EN-13501 - B-s2-d0 classification

Supplied As

Connect Cirrus

- Depending on size.
- 5 or 8 x Adjustable Suspension Kit (ASK)
- 5 x S-Hooks

Fabrication Techniques

Stanley knife and straight edge

Assembly & Delivery

Connect Baffles are supplied flat pack.

Assembled your Connect Baffle then suspended from the ceiling using hanging hardware supplied.

Recommended 2 People assembly

Go to the Technical Documents and download the Installation Guide for more details.

Suggested Installation

Go to Technical Documents and download the Installation Guide for more details.

Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.



Acoustic Baffles

Warranty	Visit FAQ for more details.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	NRC Rating • Without Air Gap: Up to 0.90 • With 24" (610mm) Air Gap: Up to 0.95



Color & Finish Options



CONNECT CIRRUS

Zintra 12mm Solid PET







Acoustic Baffles



