CLOUDS WARP

Acoustic Ceiling Features



Collections: Clouds

Applications: Ceilings



Acoustic Ceiling Features

A 3-dimensional floating design. Zintra Clouds Warp creates a stunning easy to assemble ceiling feature.

Zintra Acoustic Clouds are available in a unique range of shapes and forms constructed from pressure fit interlocking Zintra profiles. Easy to assemble and install, clouds will add drama to your space whilst simultaneously improving acoustics by utilising Zintra's powerful sound absorption properties.	
Warp: Square grid with warped and u	inevenly spaced grids.
Available in 12 other great designs an	nd multiple sizes
Blanchard Clochette Dome Concar Dome Concave Long Dome Convex	ve Dome Convex Drante Giffard Long Square Stratus Turbine YooFoe
Longer Cables, multi-colour and Digit	tal Print available for an additional fee.
1. Select Design	
2. Select Size	
3. Select Zintra Colour	
Zintra Acoustic Panel - 100% Solution	n Dyed (Colour Through) Polyester
12mm (1/2") - Density 2.4 kg /m² 0.5 l	lb/ft²
Zintra is made from 100% recyclable	materials.
60% post-consumer recycled conte	ent from PET bottles.
• 35% pre-consumer recycled conten	t from PET chips
• 5% polylactic acid (PLA)	
Warp: 1220mm (48") w x 1220mm (48	3") l x 140mm (5.5") h
ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classif EN-13501 – B-s2-d0 classification	ication
	constructed from pressure fit interloginstall, clouds will add drama to your acoustics by utilising Zintra's powerful. Warp: Square grid with warped and use Available in 12 other great designs and Blanchard Clochette Dome Concard Dome



CLOUDS WARP

Acoustic Ceiling Features

Supplied As	Flat Pack
SUDDIICU AS	I Idt I dok

Clouds include Adjustable

Cable Kit

Assembly & Delivery

Cloud components supplied flat pack.

Assembled cloud is then suspended from the ceiling using hanging hardware supplied.

Recommended 2 People assembly

Go to the Technical Documents and download the Installation Guide for more details.

Suggested Installation

Go to Technical Documents and download the Installation Guide for more details.

Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Warranty

Visit FAQ for more details.

Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Additional Comments

NRC Rating

- Without Air Gap: Up to 0.95
- With 24" (610mm) Air Gap: Up to 1.00

3 of 5



Color & Finish Options

Zintra 12mm Solid PET







CLOUDS WARP

Acoustic Ceiling Features











Zintra Timber Print









Eucalyptus

Ironbark

Merbau

Spotted Gum

