Acoustic Ceiling Features



Brand: **Zintra**

Collections: Clouds

Applications: Ceilings



Acoustic Ceiling Features



Clouds Blanchard Pewter Tar Sunshine



Clouds Blanchard Detail

Acoustic Ceiling Features

A 3-dimensional floating design. Zintra Clouds Blanchard creates a stunning easy to assemble ceiling feature.

✓ Acoustic✓ Easy Install	✓ Bleach Cleanable	✓ Easy Clean
Description	Zintra Acoustic Clouds are available in a unique range of shapes and forms constructed from pressure fit interlocking Zintra profiles. Easy to assemble and install, clouds will add drama to your space whilst simultaneously improving acoustics by utilising Zintra's powerful sound absorption properties.	
	Blanchard: Inverted Diamond-shaped acoustic grid shaped cloud. Available in 2 sizes:	
	Available in 12 other great designs and multiple sizes	
	Clochette Dome Concave Dome Concave Stratu	onvex Drante Giffard Long Dome Concave us Turbine Warp YooFoe
	Longer Cables, multi-colour and Dig	ital Print available for an additional fee.
How to Specify	1. Select Design	
	2. Select Size	
	3. Select Zintra Colour	
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m² 0.5	lb/ft²
Sustainability	Zintra is made from 100% recyclable materials.	
	• 60% post-consumer recycled content from PET bottles.	
	• 35% pre-consumer recycled conte	nt from PET chips
	• 5% polylactic acid (PLA)	
Dimensions	Blanchard: Available in 2 sizes:	
	• 694mm (27.3") dia x 595mm (23.5") h	
	• 1432mm (56.4") dia x 1195mm (47") h
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	



Acoustic Ceiling Features

Supplied As	Flat Pack
OUDDIED AS	I lat I ack

Clouds include Adjustable

Cable Kit

Assembly & Delivery

Cloud components supplied flat pack.

Assembled cloud is then suspended from the ceiling using hanging hardware supplied.

Recommended 2 People assembly

Go to the Technical Documents and download the Installation Guide for more details.

Suggested Installation

Go to Technical Documents and download the Installation Guide for more details.

Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Warranty

Visit FAQ for more details.

Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

Additional Comments

NRC Rating

- Without Air Gap: Up to 0.95
- With 24" (610mm) Air Gap: Up to 1.00



Color & Finish Options

Zintra 12mm Solid PET







Acoustic Ceiling Features





Storm







Zintra Timber Print









Eucalyptus

Merbau

Spotted Gum