Acoustic Ceiling Features



Brand: **Zintra** 

Collections: Clouds

Applications: Ceilings



Acoustic Ceiling Features



Clouds Blanchard Pewter Tar Sunshine



Clouds Blanchard Detail

Acoustic Ceiling Features

A 3-dimensional floating design. Zintra Clouds Blanchard creates a stunning easy to assemble ceiling feature.

<ul><li>✓ Acoustic</li><li>✓ Easy Install</li></ul>	✓ Bleach Cleanable	✓ Easy Clean
Description	constructed from pressure fit interlo	in a unique range of shapes and forms ocking Zintra profiles. Easy to assemble and space whilst simultaneously improving ful sound absorption properties.
	<b>Blanchard:</b> Inverted Diamond-shaped acoustic grid shaped cloud. Available in 2 sizes:	
	Available in 12 other great designs a	nd multiple sizes
	Clochette   Dome Concave   Dome Co Long Dome Convex   Square   Stratu	onvex  Drante   Giffard   Long Dome Concave   s  Turbine   Warp   YooFoe
	Longer Cables, multi-colour and Dig	ital Print available for an additional fee.
How to Specify	1. Select Design	
	2. Select Size	
	3. Select Zintra Colour	
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester	
	12mm (1/2") - Density 2.4 kg /m <sup>2</sup> 0.5	lb/ft²
Sustainability	Zintra is made from 100% recyclable materials.	
	• 60% post-consumer recycled cont	ent from PET bottles.
	• 35% pre-consumer recycled conte	nt from PET chips
	• 5% polylactic acid (PLA)	
Dimensions	Blanchard: Available in 2 sizes:	
	• 694mm (27.3") dia x 595mm (23.5"	) h
	• 1432mm (56.4") dia x 1195mm (47")	) h
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	



**Acoustic Ceiling Features** 

Supplied As	Flat Pack
OUDDIED AS	I lat I ack

Clouds include Adjustable

Cable Kit

#### Assembly & Delivery

Cloud components supplied flat pack.

Assembled cloud is then suspended from the ceiling using hanging hardware supplied.

Recommended 2 People assembly

Go to the Technical Documents and download the Installation Guide for more details.

#### Suggested Installation

Go to Technical Documents and download the Installation Guide for more details.

#### Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

#### Warranty

Visit FAQ for more details.

#### Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.

### **Additional Comments**

NRC Rating

- Without Air Gap: Up to 0.95
- With 24" (610mm) Air Gap: Up to 1.00



## Color & Finish Options

#### Zintra 12mm Solid PET







Acoustic Ceiling Features





Storm







Zintra Timber Print









Eucalyptus

Merbau

Spotted Gum