LAYERS PANEL 3D



Brand: **Zintra**

Collections: **Layers Panel**

Applications: **Walls**

+1 855 922 7377
hello@zintraacoustic.com
zintraacoustic.com

LAYERS PANEL 3D



3D Layers Panel Hospitality



3D Layers Panel Commercial




3D Layers Panel Reception Detail



Layers 3D Panel Detail

LAYERS PANEL 3D



Layers Panel 3D - Front View

+1 855 922 7377
hello@zintraacoustic.com
zintraacoustic.com

LAYERS PANEL 3D

Create a personalized 3D acoustic masterpiece with Zintra Layers. Panels that are handmade with care, choose from 30 Colours which are cut into strips and applied to a Zintra backing panel.

Description

Elevate your space with the perfect blend of superior acoustics and unique character, courtesy of Zintra Layers 3D.

Discover the innovative technique behind Zintra Layers, where vibrant strips of Colour are meticulously layered onto a Zintra Acoustic panel backer, offering a versatile solution for your acoustic design needs. Whether you're craving a subtle infusion or a bold explosion of Colour, achieve unparalleled acoustics and individuality effortlessly.

For those seeking the pinnacle of acoustic performance. Zintra Layers 3D craft a handmade 3-dimensional surface that not only reduces echoes but achieves an impressive NRC of up to 1.0 with an air gap. Elevate your space to new heights with Zintra 3D Layers.

How to Specify

1. Select Layers or Layers 3D design
2. Select Zintra Colour

Composition

Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester

12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²

Sustainability

Zintra is made from 100% recyclable materials.

- 60% post-consumer recycled content from PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% polylactic acid (PLA)

Dimensions

2743mm (108") x 1207mm (47.5")

Fire Rating

ASTM-E84 – Class A classification
AS ISO 9705 – 2003 – Group 1 classification
EN-13501 – B-s2-d0 classification

Supplied As

1 x Layer Panel in selected Colour/s


LAYERS PANEL 3D


Assembly & Delivery	Ships Assembled ready for installation. Refer Installation instructions. Recommended 2 People assembly Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust. Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	Visit FAQ for more details.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	NRC Up to 1.0


LAYERS PANEL 3D

Color & Finish Options


Zintra 12mm Solid PET



Aloe



Bluebird



Bark



Brick


Cadet



Chambray


Cobalt



Ecru


Elderberry


Forrest



Fossil


Frost



Grass


Greige


Ivory



Linen


Malachite



Mandarin


Meadow



Midnight


Ochre


Olive



Parchment



Pebble



Pewter

+1 855 922 7377
hello@zintraacoustic.com
zintraacoustic.com

LAYERS PANEL 3D


Putty



Saffron



Sky



Smoke


Slate


Storm


Sunshine


Tar


Twilight

+1 855 922 7377
hello@zintraacoustic.com
zintraacoustic.com