EMBOSS PANEL SCALLOP



Brand: **Zintra**

Collections: **Emboss Panel**

Applications: **Walls**

+1 855 922 7377
hello@zintraacoustic.com
zintraacoustic.com


EMBOSS PANEL SCALLOP



Emboss Panel Scallop Detail Ecru



Emboss Panel Scallop Detail



Emboss Panel Scallop - Front View

EMBOSS PANEL SCALLOP

Introducing rhythmic curves and precise seams, Zintra Emboss Panel Scallop brings measured elegance, creating a captivating play of light and shadow in any space.

- ✓ **Acoustic**
- ✓ **Bleach Cleanable**
- ✓ **Easy Clean**
- ✓ **Easy Install**

Description

Zintra Emboss Panels brings a touch of luxury to acoustic solutions, combining timeless craftsmanship with advanced technology. These tactile three-dimensional panels create an immersive experience that transforms the ambiance of any space. The warm heather of Zintra softens the environment, ensuring that even the most austere spaces feel inviting.

Designed for seamless installation, Zintra Emboss Panels can be installed both vertically or horizontally, offering versatile design possibilities. They provide more than just noise absorption—they tell a story with every surface. Their intricate patterns and dynamic visual effects shift with perspective, adding depth and warmth to any room, making conversations flow effortlessly without echoes or disturbances.

Scallop

Purity in form—each curve, deliberate and precise, speaks to a sense of calm and clarity. The Scallop design features a series of semi-circular curves, resembling the edge of a scallop shell, repeated in a rhythmic, wave-like pattern that creates movement and fluidity.

The subtle crease detail and carefully placed seamline invite the eye to follow the gentle arcs as they cascade toward the wall, creating a captivating play of light and shadow that emphasizes its 3-dimensional depth. Meticulously crafted, the seamline is subtly positioned at the concave to ensure seamless integration, where the bottom of the scallop meets the wall.

Scallop is a design that captures the essence of measured rationality, leaving a lasting impression of architectural elegance.

Available in 18 great designs.

Ascend | Celium | Constellation | Corduroy | Corduroy Fine | Cumulus | Damask | Jungle | Linked | Molecular |Rivulet | Sandglass | Scallop | Stitched | Tapestry |Tidal | Tufted | Woven

In hospitality, commercial, and care environments, Zintra Emboss Panels don't just absorb sound – they elevate spaces with their luxurious textures and calming designs, creating atmospheres that are as visually captivating as they are acoustically sound.

Please note: Zintra Emboss is suitable for single-sided applications only.

Don't just design spaces. Craft experiences.

EMBOSS PANEL SCALLOP

How to Specify	1. Select Emboss design 2. Select Zintra Colour
Composition	Zintra Acoustic Panel - 100% Solution Dyed (Colour Through) Polyester 12mm (1/2") - Density 2.4 kg /m² 0.5 lb/ft²
Sustainability	Zintra is made from 100% recyclable materials. • 60% post-consumer recycled content from PET bottles. • 35% pre-consumer recycled content from PET chips • 5% polylactic acid (PLA)
Dimensions	Available in 12mm (1/2") 2743mm (108”) x 1118mm (44”) “Emboss Panel patterns will align with a commercial tolerance of +/- 1mm. Panel thickness may vary by 15%. Pack as required to align face.”
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Supplied As	1 x Emboss Panel in selected pattern
Fabrication Techniques	Utility knife and CNC with oscillating knife.
Assembly & Delivery	Ships Flat Pack Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.


EMBOSS PANEL SCALLOP


Care Instructions	Vacuum to remove dust. Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry. Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	Visit FAQ for more details.
Additional Comments	NRC 0.35

EMBOSS PANEL SCALLOP

Color & Finish Options


Zintra 12mm Solid PET



Aloe



Bluebird



Bark



Brick


Cadet


Chambray


Cobalt



Ecru


Elderberry


Forest



Fossil


Frost



Grass


Greige


Ivory



Linen


Malachite


Mandarin


Meadow



Midnight


Ochre


Olive



Parchment



Pebble



Pewter

+1 855 922 7377
hello@zintraacoustic.com
zintraacoustic.com

EMBOSS PANEL SCALLOP


Putty



Saffron



Sky



Smoke


Slate


Storm


Sunshine


Tar


Twilight

Zintra Timber


Eucalyptus



Ironbark



Merbau


Spotted Gum

Zintra Premium Material


Terrazzo Light


Terrazzo Medium


Terrazzo Dark


Travertine Light



Travertine Medium


Travertine Dark


Shale Light



Shale Medium



Shale Dark



Raku Bone


+1 855 922 7377
hello@zintraacoustic.com
zintraacoustic.com

EMBOSS PANEL SCALLOP



Raku Luster


Raku Jade



Concrete Cast


Concrete Polished


Concrete Dark Tint


Terracotta Sun Bleached


Terracotta Mission


Terracotta Antique

Zintra Premium Wood


Knotty Pine


Maple


Poplar



Australian Walnut


Claro Walnut


Palm Wood


Rustic Walnut


Cherry


Euro Beech


Lacewood


Redwood


White Oak

+1 855 922 7377
hello@zintraacoustic.com
zintraacoustic.com