Acoustic Panels




Collections: Etch Panel

Applications: Walls, Ceilings



Etch Panel Topo Detail - Parchment





Etch Panel Topo

Acoustic Panels

✓ Acoustic

Zintra Etch pairs acoustic performance with sculptural detail. Topo layers broad, tapering lines with curved negative space to create a flowing layout that shifts with perspective and light—designed for visual movement and acoustic balance.

✓ Easy Clean

✓ Bleach Cleanable

✓ Easy Install	
Description	Zintra Etch, where acoustic absorption meets dynamic 3D design. With a range of subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic functionality to your commercial, hospitality, or institutional interior.
	Discover the extensive selection of understated to statement Colours in Zintra Etch, allowing you to create a welcoming atmosphere while effectively managing sound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being.
	Zintra Etch seamlessly integrates with plain Zintra panels, offering versatility in design coordination.
	Experience the benefits of Zintra Etch, including pattern matching with seamless hidden joins (excluding VJ Angle and Kaleido). The panel size enables join-free installations from floor to ceiling, making the fitting process effortless.
	Topo features a series of widening grooves that taper into finer lines, with a fluid layout creating purposeful negative space between each row. This design offers a dynamic, layered effect that shifts with light, adding depth and texture. When rotated 180 degrees, Topo transforms, offering a fresh perspective and altering the play of light and shadow.
	Zintra Etch is available in 24 great designs
	Billow Craze Cubix Deviate Demi Imbue Kaliedo Lamella Reed Bed Sine Spectrum Suffuse Tesselate Tetris Topo Torus Troupe Venn Verge Vino VJ Board Angle VJ Board Narrow VJ Board Wide Volta

Our latest Zintra Etch explore a refined interplay of depth, width and assorted V-Cut angles – introducing sculptural dimension and fluid movement that shift with

How to Specify

1. Select Design

2. Select Zintra Colour

light and perspective.

Composition

Zintra Acoustic Panel - 95% Polyester + 5% PLA

12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft134

Not suitable as a free standing product.



Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Supplied As	Ships Flat Packed.
	Go to the Technical Documents and download the Installation Guide for more details.
Assembly & Delivery	Ships Flat Packed.
	Go to the Technical Documents and download the Installation Guide for more details.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Vacuum to remove dust.
	Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	5-year warranty. Visit <u>baresque.com.au/warranty</u> for complete details.
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.
Additional Comments	Directly Mounted 0.45 With 2" (50mm) air gap 0.85 With 6" (152mm) air gap 0.90



Color & Finish Options


Zintra 12mm Solid PET







Acoustic Panels



6 of 12

Zintra Premium Material



Acoustic Panels



Zintra Print Art Studio Colours Pebble











Stone

Zintra Print Art Studio Colours Frost







