Acoustic Panels




Brand: Zintra

Collections: Etch Panel

Applications: Walls, Ceilings





Etch Panel Verge Detail - Olive



Etch Panel Verge Detail

Acoustic Panels

Zintra Etch pairs acoustic performance with sculptural detail. Verge's angled lines taper towards the edges, forming a central visual column that plays with depth, dimension and light for a bold architectural impact.

<ul><li>✓ Acoustic</li><li>✓ Easy Install</li></ul>	✓ Bleach Cleanable	✓ Easy Clean
Description	Zintra Etch, where acoustic absorption meets dynamic 3D design. With a range of subtle textures, Zintra Etch brings cutting-edge aesthetics and acoustic functionality to your commercial, hospitality, or institutional interior.	
	Discover the extensive selection of understated to statement Colours in Zintra Etch, allowing you to create a welcoming atmosphere while effectively managing sound. This cost-effective sound and design solution cultivates calming environments, promoting productivity and well-being.	
	Zintra Etch seamlessly integrates with plain 2 design coordination.	Zintra panels, offering versatility in
	Experience the benefits of Zintra Etch, included hidden joins (excluding VJ Angle and Kaleido installations from floor to ceiling, making the	). The panel size enables join-free
	Verge showcases dynamic diagonal lines that creating a sense of depth and architectural for panel's dimensionality, evoking the feeling of both visual interest and acoustic clarity to an	orm. The shifting widths enhance the a column or structural element adding
	Zintra Etch is available in 24 great designs	
	Billow   Craze   Cubix   Deviate   Demi   Imbue Spectrum   Suffuse   Tesselate   Tetris  Topo   VJ Board Angle   VJ Board Narrow   VJ Board	Torus  Troupe   Venn   Verge   Vino
	Our latest Zintra Etch explore a refined interp Cut angles – introducing sculptural dimensio light and perspective.	
	Not suitable as a free standing product.	
How to Specify	1. Select Design	
	2. Select Zintra Colour	
Composition	Zintra Acoustic Panel - 95% Polyester + 5% F	PLA
	12mm (1/2") -Density 2.4 kg /m <sup>2</sup> 0.5 lb/ft134	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	



Supplied As	Ships Flat Packed.  Go to the Technical Documents and download the Installation Guide for more details.	
Assembly & Delivery	Ships Flat Packed.  Go to the Technical Documents and download the Installation Guide for more details.	
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.	
Care Instructions	Vacuum to remove dust.  Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.  For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.  Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty. Visit <b>baresque.com.au/warranty</b> for complete details.	
Customisable	The Zintra Acoustic Solutions range is customisable to your project. Please get in touch with your local contact for details.	
Additional Comments	Directly Mounted 0.45   With 2" (50mm) air gap 0.85   With 6" (152mm) air gap 0.90	




#### Color & Finish Options

#### Zintra 12mm Solid PET









Zintra Premium Material



Acoustic Panels



#### Zintra Studio Colours Pebble













Stone

#### Zintra Studio Colours Frost









