
Acoustic Baffles



Brand: **Zintra**

Collections: Box Baffles

Applications: Walls



Acoustic Baffles













Acoustic Baffles









Acoustic Baffles





Acoustic Baffles

Uniform Wide creates a confident linear ceiling design. With 12 baffles per system and at 4.3" (110mm) it offers clarity and structure for commercial spaces.

Description

Zintra Box Baffles Systems are prefabricated, ceiling-mounted systems that bring rhythm, dimension, and high-performance acoustics to any space. Suspended in perfectly spaced rows, the box-shaped design not only looks substantial but also improves sound absorption, capturing noise within and increasing the NRC rating. Lightweight, modular, and scalable, these systems are easy to assemble, easy to install, and a visually striking alternative to traditional mineral fibre ceilings.

Uniform Wide Box Baffle Systems

Balances depth and density with 12 baffles per system at 4.3" (110mm). Offering a clear, linear aesthetic, Wide enhances acoustic control while maintaining an architectural rhythm that feels confident yet refined.

Available in two sizes, 39" (1000mm) w x 94.5" (2400mm) d and 93" (2362mm) w x 94.5" (2400mm) d, Uniform Wide is ideal for projects that call for subtle impact with strong acoustic performance.

Design Options

Choose from uniform or mixed Box Baffle Systems to suit your design vision. Uniform Slim, Wide, Span, and Grand offer clean, linear profiles, while Freeform layers Slim, Wide, and Span for subtle variation. Fusion combines all four sizes for bold, architectural statements.

With a wide array of designs, Zintra Box Baffles are ideal for large, noisy spaces such as educational institutions, shopping centres, restaurants, and airports, where performance meets aesthetic appeal.

How to Specify

- 1. Space Size
- 2. Layout Of Baffles Within Space
- 3. Baffle Depth
- 4. Installation | System or Set | 5. Hardware
- 6. Select Connection Method
- 7. Select Colour

Composition

Zintra Acoustic Panel - 95% Polyester + 5% PLA

12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft

Dimensions

1000 mm (39") w x 2400mm (94.5") d x 110mm (4.3") h

2362mm (93") w x 2400mm (94.5") d x 110mm (4.3") h



Acoustic Baffles

Fire Rating	Tested in accordance with AS ISC	0 9705 2003 for the purpose of	determining the
-------------	----------------------------------	--------------------------------	-----------------

Group Number classification required by the Building Code of Australia for the

control of fire spread on interior wall and ceiling linings.

Classification - Group 1

Specific Extinction - Less than 250m²/kg

12 Baffles Supplied As

48 | 120 x 1" (25mm) Clear Beams Clips

2 | 3 x 1" (25mm) Cross Runner (Standard Black)

4 | 6 End Caps

3 x ASK's (per cross runner)

Suggested Installation Be sure to support the panel during installation to avoid bowing or creasing.

Fix wire to floor and ceiling leaving a gap between to fit screen.

Adjust pivoting support to desire height, fit screen.

Download the Handling and Installation guide for full instructions.

Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results,

contact us.

Warranty

5-year warranty.

Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in

touch with your local contact for details.

Additional Comments

Without Air Gap: Up to 0.90 | With 610mm (24") Air Gap: Up to 0.95

6 of 7



Acoustic Baffles

Color & Finish Options

