
Acoustic Baffles



Brand: Zintra

Collections: Box Baffles

Applications: Walls



Acoustic Baffles









Box Baffle Grand - Direct Mount - 2

Acoustic Baffles





Acoustic Baffles

Box Baffles Grand Set at 5.5" (140mm), 9 or 5 baffles. Creating bold ceiling lines with fewer elements. Designed for flexibility and custom install.

Description

Zintra Box Baffle Sets are prefabricated, ceiling-mounted systems that bring rhythm, dimension, and high-performance acoustics to any space. The box-shaped design not only looks substantial but also improves sound absorption, capturing noise within and increasing the NRC rating. Lightweight, modular, and scalable, they are a visually striking alternative to traditional mineral fibre ceilings.

With Box Baffle Sets, you get Zintra's acoustic performance and design impact, minus the hardware. This opens up the freedom to experiment, reimagine, and tailor ceiling layouts that reflect your unique style.

Box Baffles Slim Set features the shallowest depth at 3.5" (90mm), yet delivers maximum visual rhythm with a light, elegant ceiling line that enhances acoustic performance without overwhelming the space. Ideal for projects requiring subtle impact with high coverage, Slim offers a clean, modern solution that balances scale, sound control, and design efficiency.

Available in two sizes, 39" (1000mm) w x 94.5" (2400mm) d and 93" (2362mm) w x 94.5" (2400mm) d. Each set comes with either 6 or 3 baffles (depending on size)

With a wide array of designs, Zintra Box Baffles are ideal for large, noisy spaces such as educational institutions, shopping centres, restaurants, and airports, where performance meets aesthetic appeal.

How to Specify

- 1. Space Size
- 2. Layout Of Baffles Within Space
- 3. Baffle Depth
- 4. Installation | System or Set | 5. Hardware
- 6. Select Connection Method
- 7. Select Colour

Composition

Zintra Acoustic Panel - 95% Polyester + 5% PLA

12mm (1/2") -Density 2.4 kg /m² 0.5 lb/ft

Dimensions

1000 mm (39")

OR

2400mm (94.5")

Baffle Profile 100mm (4") w x 140mm (5.5") h



Acoustic Baffles

Fire Rating	Tested in

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

Classification - Group 1

Specific Extinction - Less than 250m²/kg

Supplied As

1 x Baffle Set

39" (1000mm) x 94.5" (2400mm) - 6 Baffles

OR

93" (2362mm) x 94.5" (2400mm) - 3 Baffles

24 | 30 x 1" (25mm) Clear Beams Clips

Hardware sold separately

Suggested Installation

Be sure to support the panel during installation to avoid bowing or creasing.

Fix wire to floor and ceiling leaving a gap between to fit screen.

Adjust pivoting support to desire height, fit screen.

Download the Handling and Installation guide for full instructions.

Care Instructions

Vacuum to remove dust.

Dab Zintra with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water). To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Warranty

5-year warranty.

Customisable

The Zintra Acoustic Solutions range is customisable to your project. Please get in

touch with your local contact for details.

Additional Comments

Without Air Gap: Up to 0.90 | With 610mm (24") Air Gap: Up to 0.95

5 of 6



Acoustic Baffles

Color & Finish Options



6 of 6